

ecotrol™ TK2000

TankSafe™

Rainwater Tank Purifier



PLATINUM
PERFORMANCE
PRODUCT

2
LITRES

**FREE
TEST STRIPS
WITH EVERY
BOTTLE**



Introducing

ecotrol[™] TK2000

TankSafe[™]

Rainwater Tank Purifier

Innovative product that can kill up to 99.9% of all germs, bacteria and viruses in your rainwater.

*Safety isn't expensive,
it's priceless*

Ensuring your stored water supply is safe for consumption can be a tricky task. Water captured on rooftops can easily be contaminated as debris easily washes into the tank during a down pour.

Drinking this untreated water can be unsafe and lead to illness. Treating water is essential to ensure good health for you and your family.

TankSafe[™] is an alternative to dosing with chlorine. It is tasteless, odourless and chlorine free, designed specifically for tank water disinfection. TankSafe[™] is low cost and non-toxic.

While most chemicals used for water disinfection are toxic (some are even known carcinogens), TankSafe[™] will stay in your tank and keep it protected from bacteria and pathogens for up to **2 months**.



Your Solution for all types of stored water

Rainwater, carted water and water that is pumped up from bores and dams all have the potential to be unsafe. The TankSafe™ formula can vastly improve the safety of these water supplies. It is a recognized and approved product for treating drinking water by the National Health Medical research council.

TankSafe™ *Protection*



- TankSafe™ kills germs, viruses, biofilms and other pathogens.
- TankSafe™ leaves a residue in the water ensuring the bacteria can't reoccur.
- TankSafe™ is colourless and odourless making it excellent for drinking water



Lasting Protection

- TankSafe™ will protect your tank water for up to 2 months, unlike chlorine which dissipates quickly.
- TankSafe™ leaves a residue which ensures water remains pure even to the point of use.
- TankSafe™ It is recommended to use the test strips to ensure the dosage is sufficient.

A Healthy Option

- TankSafe™ is a safe alternative to harmful chemicals such as chlorine that leaves carcinogens in the water.
- No more stomach upsets with TankSafe™ purified water as the bacteria is rendered inactive.



Efficient Protection

- Just 2 litres of TankSafe™ will effectively sterilise 32,000 litres of water.
- TankSafe™ is long lasting – up to 2 months making it very cost effective.



Cost-effective way of purifying your tank water

How do you know TankSafe™ is working?

Pour the required amount of TankSafe™ in your rainwater tank. Test 24 hours after dosing with TankSafe™ to ensure appropriate dosing has taken place.

To check levels of protection after dosing, immerse the test strip in the treated water for 1 sec and let the strip sit for 15 sec, then compare to the colour chart indicator.

To ensure continuous safety, test a minimum of every 2-3 weeks or after a significant rainfall.

Level of Protection



STANDARD DOSAGE CHART

Volume of water to be treated	Required dosage of TankSafe™
1,000 L	65 ml.
5,000 L	330 ml.
10,000 L	650 ml.
22,000 L	1400 ml.
32,000 L	2000 ml.

Recommended dosage is 65 ml. per 1000 litres of tank volume, depending on the pollution grade.

Follow the table below to find the correct dosage for your water volume.

Requires 24 hour contact time

Safety Directions

Not to be taken undiluted. Use only as directed. Avoid contact with skin and eyes. Wash hands after use. If swallowed, do not induce vomiting, seek medical advice immediately. If skin contact occurs, flush with water. If in eyes, hold eyes open and flush with water for 15 minutes and see a doctor if required. Keep out of reach of children.

Storage

Always store TankSafe™ and test strips in room temperature, clean, incombustible, lockable, well ventilated area. Do not store together with alkalis, reducing agent, metallic salts and combustible substances. Do not store for prolonged periods in direct sunlight. Replace cap after use.

Test strips have a life of 12 months once opened. Discard once the strip is taken from the pack or darker than indicated on the pack, otherwise inaccurate readings may result.

Active components: Hydrogen Peroxide 7.9%

Why treat your tank water?

Unfortunately, whilst rainwater starts out pristine, it is quickly contaminated and by the time it reaches our taps it is often unsafe to drink because micro-organisms from animal and bird droppings, decaying vegetable matter and dirt can contaminate the water.

There are always low levels of bacteria in tank water and if left without treatment these levels can get out of control – you get smelly, stagnant water which is unsafe to drink.

Tanksafe is a recognised and approved product for treating drinking water by the National Health Medical research council.

How does it work?

TankSafe™ contains a stabilized form of H_2O_2 which oxidizes bacteria and pathogens more effectively than most chlorine-based sanitizer without leaving any toxic residue or taste in the water. TankSafe™ destroys virtually all bacteria and viruses, making tank water much safer for consumption.

TankSafe™ modifies the environment inside the rainwater tank by removing micro-organisms and bacteria that is the food source for larvae. It also raises the dissolved oxygen of the water that mosquitoes and other bugs can find unpleasant.


TankSafe™ used in drinking water supplies should be combined with one micron filtration, if the presence of cysts such as Giardia or Cryptosporidium are suspected.

TankSafe™ *Advantage*

- ✓ *Lasting, Efficient Protection*
- ✓ *Powerful New Formula*
- ✓ *Disinfects up to 32,000 litres of rainwater*



RAIN WATER



BORE WATER



RIVER WATER



DAM WATER

Order now
from
your local
distributor



Distributor Details:

Puretec water care products are designed, manufactured and supported by Fluid Products Pty Ltd the name you can trust for viable and proven water solutions. All pictures and information are supplied as a guide only. The complete range of Puretec products are developed, refined, made to meet and exceed stringent specifications for the worldwide market.

Important Note: Sales of products are subject to our Terms and Conditions which are available upon request. All specifications, prices and photos are a guide only and are subject to change without notice. Please ring to confirm details.

For further information regarding this product, contact your local stockist, call our customer service hotline or visit our website.



AUSTRALIA

Customer Service: **1300 190 190**

Email: **sales@puretec.com.au**

Web: **www.puretec.com.au**

NEW ZEALAND

Customer Service: **0800 130 140**

Email: **sales@puretec.co.nz**

Web: **www.puretec.co.nz**